Application No.: 10/667,214

AMENDMENTS TO THE CLAIMS

The following listing of claims replaces all prior listings and versions of claims in this application.

- 1. (Currently Amended) A method for mitigating the presence of scales on an infant's scalp caused by cradle cap comprising the sequential steps of:
- a) loosening said scales by massaging a pre-treatment composition into said scalp of an infant;

said pre-treatment composition having a viscosity from about 3,450 to 3,600 cps, as measured by an RVT viscometer with a TA spindle rotating at 10 rpm;

- b) using a scale-removing device to remove said scales from said scalp;
- c) cleaning said scalp by using a shampoo; and
- d) applying a moisturizer to said scalp,

wherein said moisturizer comprises an oily material and wherein said pretreatment composition, said scale-removing device, said shampoo and said moisturizer are included in a single secondary package.

- 2. (Original) The method of claim 1, wherein said pre-treatment composition comprises an oil material.
 - 3. (Original) The method of claim 2, wherein said oil material is mineral oil.
 - 4. (Original) The method of claim 3, wherein said oil material is gelled mineral oil.
 - 5. (Original) The method of claim 1, wherein said scale-removing device is a comb.
- 6. (Original) The method of claim 1, wherein said moisturizer further comprises a butter.

Application No.: 10/667,214

- 7. (Previously Presented) The method of claim 1, wherein said moisturizer has a viscosity from about 9,000 to about 14,000 cps as measured by an RVT viscometer with a TA spindle and rotating at 10 rpm.
- 8. (Currently Amended) A kit for mitigating the effects of cradle cap on the scalp of an infant comprising:
- a) a secondary package containing at least four components that comprise a pretreatment composition,

said pre-treatment composition having a viscosity from about 3,450 to 3,600 cps, as measured by an RVT viscometer with a TA spindle rotating at 10 rpm;

- b) a scale-removing device;
- c) a shampoo; and
- d) a moisturizer,

wherein said moisturizer comprises an oily material and wherein said pretreatment composition, said shampoo and said moisturizer are each individually packaged in a primary package.

- 9. (Original) The kit of claim 8, further comprising instructions to perform the method of claim 1.
- 10. (Original) The kit of claim 8, wherein said pre-treatment composition comprises an oil material.
- 11. (Previously Presented) The kit of claim 10, wherein said oil material is a mineral oil.

Application No.: 10/667,214

- 12. (Original) The kit of claim 11, wherein said oil material is a gelled mineral oil.
- 13. (Original) The kit of claim 8, wherein said scale-removing device is a comb.
- 14. (Original) The kit of claim 8, wherein said moisturizer further comprises a butter.
- 15. (Previously Presented) The kit of claim 8, wherein said moisturizer has a viscosity from about 9,000 to about 14,000 cps as measured by an RVT viscometer with a TA spindle and rotating at 10 rpm.
 - 16. (Original) The kit of claim 8, wherein said primary packaging is a carton.